



LIFE TECHNICAL GUIDE – 02

LIFE-BB-EU-TG02-1.0-English

Version 1.0 – Europe – English

(AUGUST/2022)

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 2 of 59

OBJECTIVE

To guide organizations in the elaboration of their Biodiversity and Ecosystem Services Action Plan (BAP), through a hierarchy of priority and effective for biodiversity conservation.

APPLICATION

This document is applicable as a management methodology to organizations interested in assessing the performance of their actions for biodiversity and ecosystem services compliant with national priorities and their effectiveness for conservation; in establishing programs and goals for biodiversity conservation; and in the LIFE Certification process. It also applies to certification bodies accredited by LIFE Institute for the evaluation of third parties of organizations interested in the Certification process and other interested parties.

For organizations certified with LIFE previous versions, this document becomes effective after the end of the certification cycle, that is, at recertification. For other organizations/producers this document applies automatically from the date of publication.

APPROVAL

Document approved by LIFE Institute's Board of Directors.

All rights reserved under copyright in Brazil and internationally, according to the terms defined in Brazilian and foreign legislation pertinent to the topic. Any form of reproduction of this document or of any part of its content requires express written permission from the LIFE Institute.

Contacts for comments:

LIFE Institute
Rua Victor Benato, 210 – Bosque Zaninelli – Pilarzinho
CEP: 82.120-110 – Curitiba – PR, Brazil
Tel: +55 41 3253-7884
www.institutolife.org
contato@institutolife.org

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 3 of 59

LIST OF ACRONYMS

AFS – Agro-Forestry System

BAP – Biodiversity and Ecosystem Services Action Plan

BPI – Biodiversity Pressure Index

BMP – Biodiversity Minimum Performance

BPP – Biodiversity Positive Performance

BZ – Buffer Zone

CB – Certifying Body

CITES – Convention on International Trade in Endangered Species of Wild Fauna and Flora

CU – Conservation Unit

DOU – Union Official Journal

GECV – Guide for Evidence and Content for Verification

IBA – Important Areas for Birds and Biodiversity

IUCN – International Union for Conservation of Nature

KBA – Key areas for biodiversity

MP – Management Plan

NGO – Non-Governmental Organization

OI – Opportunity for Improvement

PA – Protected Area

PES – Payment for Environmental/ Ecosystem Services

PPE – Personal Protective Equipment

RAAFS – Regenerative analog agro-forestry system

REDD – Reduction of Emissions by Deforestation and Degradation

RER – Rural Environmental Record

SAC – Special Areas of Conservation

SCI – Sites of Community Importance

SPAB – Special Protection Areas for Birds

SPAMis – Specially Protected Areas of Importance for the Mediterranean

UNESCO – United Nations Educational, Scientific and Cultural Organization

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 4 of 59

TABLE OF CONTENTS

1. INTRODUCTION.....	5
2. THE LIFE DIRECTIVE FOR BIODIVERSITY CONSERVATION	6
3. STRUCTURE OF THIS DOCUMENT	6
3.1 Categories of analysis.....	6
3.1.1 Groups	7
3.1.2 Themes	9
3.1.3 Records.....	9
3.1.4 Qualifiers	12
3.2 Classification of the actions.....	18
3.2.1 Flowchart.....	18
3.2.2 General rules for classification.....	20
3.2.3 Interpretation of Records.....	20
3.2.4 General guidance for the application of the qualifiers	27
4. SCORING THE BIODIVERSITY CONSERVATION ACTIONS	33
4.1 Calculation of the score.....	33
4.2 General rules for scoring	36
4.3 Credits of the score for certification purposes	37
4.4 The duration of the validity of the score.....	38
5. GUIDE FOR EVIDENCE AND CONTENT FOR VERIFICATION (GECV)	40
6. GLOSSARY	57
7. REFERENCES	58

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 5 of 59

1. INTRODUCTION

The LIFE Methodology considers, as a presupposition, that real engagement with biodiversity conservation can be evaluated in complementary ways, considering the inclusion of biodiversity all over the organizations environmental management and the undertaking effective actions for conservation, through defining an Biodiversity and Ecosystem Services Action Plan (BAP).

An organization can obtain LIFE Certification whenever the score obtained for the BAP meets the Biodiversity Minimum Performance (BMP). This minimum performance is calculated considering the size of the organization and its impacts on biodiversity and on ecosystem services, as described in the LIFE Technical Guide 01.

The LIFE Technical Guide 02 is the document for the LIFE Methodology used to describe the Biodiversity Positive Performance (BPP), which make up the BAP and the scoring system, which evaluates their performance. The value of the BPP refers to the total score achieved by the BAP of the organization, taking into account all of the actions for conservation of biodiversity and of the ecosystem services.

Highlighting, publicizing and recognizing the priorities in biodiversity conservation, LIFE Methodology encourages the maintenance of the values associated with the composition, structure and function of the ecosystem services, contributing to the promotion of the well-being of humanity as a whole, and in particular to that of those communities which depend directly on these resources for their survival.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 6 of 59

2. THE LIFE DIRECTIVE FOR BIODIVERSITY CONSERVATION

The classification and scoring of conservation actions and/or the sustainable use of biodiversity presented in this Guide are based on the LIFE Directive:


“Maintenance of ecosystems, composition, structure and function.”

The scoring hierarchy of the BAP was established with a view to prioritizing initiatives with greater potential for meeting this Directive in a shorter time period.

3. STRUCTURE OF THIS DOCUMENT

3.1 Categories of analysis

Each unitary action for conservation is classified and scored using a record, linked to a specified Group and Theme, and associated with different qualifiers.



Group (G): each Group in the LIFE Methodology’s structure for scoring actions represents a strategic line of the LIFE Institute for the conservation and/or sustainable use of biodiversity.

Theme (C, P, I): each Theme in the scoring structure represents a phase of implementation of conservation actions:

- Creation or adoption of areas (C)*;
- Planning of actions for biodiversity conservation (P);

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 7 of 59

- Implementation of actions for biodiversity conservation (I).

* *The phase of Creation/Adoption of Areas only applies to Groups 1 and 2.*

Record (R): this is the description of the unitary action, classified within a Group and a Theme, linked to specific conservation qualifiers.

Qualifiers (Q): information which qualifies an action's priority and/or importance for conservation, these being reflected in the score.

3.1 1 Groups

The Groups, structured in a descending hierarchy, represent the priority strategic lines for conservation, considering their potential to generate effective results:

G1 – Conservation and management of formally protected areas

Actions directly associated with the creation and protection of natural areas, linked to official mechanisms of protection.

The following are classified in this strategic line: direct or supporting actions for the creation of officially protected areas; the elaboration of their management plans; the operationalization of protected areas; and actions for the conservation and management of biodiversity in officially protected areas, recognized in the country in question.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 8 of 59

G2 – Conservation and management of areas which are not formally protected

Actions directly associated with the voluntary creation and protection of natural areas, not linked to official protective measures, however, they are areas managed as officially protected areas.

In general, the same type of actions as the previous Group are classified in this strategic line, except that the same occur in areas which are not recognized by the country’s official protection system.

G3 – Conservation and management of species and/or ecosystems

Actions aimed at the conservation and/or management of one or more species, undertaken within or outside their natural ecosystems; or which are aimed at the conservation and management of ecosystems located outside of protected areas.

G4 – Initiatives associated with conservation strategies, policies and/or programs

Actions with a strategic scope, which exercise a relevant role in the generation and publicizing of good practices related to biodiversity.

The following are classified in this strategic line: actions encouraging public policies with benefits for conservation; educational actions for biodiversity conservation; research and monitoring projects; REDD and PES projects and other actions with indirect effect for biodiversity conservation.

For the complete list of records which can be scored in LIFE Methodology, in each one of the strategic lines for conservation, consult item 3.1.3.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 9 of 59

3.1.2 Themes

The themes indicate the phase of implantation of actions, and are represented by the letters “C”, “P” and “I”, after the abbreviation of the groups in each record. For example: G1.P – planning actions in Group 1.

The theme of Creation or adoption of areas (C) is applicable to Groups 1 and 2, while that of Planning of conservation actions (P) and that of Implementation of conservation actions (I) are applicable to all the Groups (1, 2, 3 and 4).

Valuing the creation and maintenance of natural areas aims to differentiate these actions from the others, due to their importance and their direct effects in the ensuring of the maintenance of the ecosystems’ composition, structure and function.

The differentiation between the planning and implementation phases of actions, in its turn, aims to value those actions which were previously structured in the elaboration of projects/programs, and which because of this, present a better grounding and possibilities of generating results and monitoring over time. Hence, all planning of actions score the action independently and accumulatively, as long as it meets the minimum content stipulated in item 5.

3.1.3 Records

The records in which the actions must be classified, in order to obtain the BPP, and the respective qualifiers applicable to each one, are listed below. The qualifiers, their weights, and their classes, are presented in item 3.1.4. The guidance for the interpretation of each record may be consulted in item 3.2.3 of this document.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 10 of 59

G1 – Conservation and management of formally protected areas

G1.C – Creation or adoption of protected areas

Record	Action	Qualifier(s)
G1.C1	Create or adopt protected areas.	1, 3, 6, 10

G1.P - Planning of actions for the conservation of biodiversity in protected areas

Record	Action	Qualifier(s)
G1.P1	Elaborate a management plan and/or planning of actions for biodiversity conservation in the protected area.	3, 4, 5, 6, 7, 10, 15

G1.I – Implementation of conservation actions and management in the protected area

Record	Action	Qualifier(s)
G1.I1	Implement actions of conservation and management of the biodiversity in the protected area.	3, 4, 5, 6, 7, 8, 9, 10, 13, 14
G1.I2	Implement actions of operationalization of the area for biodiversity conservation.	3, 10, 13, 15

G2 – Conservation and management of areas which are not formally protected

G2.C - Creation or adoption of protected areas

Record	Action	Qualifier(s)
G2.C1	Create or adopt protected areas.	1, 3, 6, 10

G2.P - Planning of actions for biodiversity conservation in protected areas

Record	Action	Qualifier(s)
G2.P1	Elaborate a management plan and/or planning of actions for biodiversity conservation in the protected area.	3, 4, 5, 6, 7, 10, 15

G2.I - Implementation of conservation areas and management in protected areas

Record	Action	Qualifier(s)
G2.I1	Implement actions for conservation and management of biodiversity in the protected area.	3, 4, 5, 6, 7, 8, 9, 10, 13, 14
G2.I2	Implement actions of operationalization of the area for biodiversity conservation.	3, 10, 13, 15

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 11 of 59

G3 - Conservation and management of species and/or ecosystems

G3.P - Planning of actions for conservation and management of species and/or ecosystems

Record	Action	Qualifier(s)
G3.P1	Elaborate planning of actions for conservation and management of species and/or ecosystems.	3, 4, 5, 6, 7, 15

G3.I – Implementation of actions for conservation and management of species and/or ecosystems

Record	Action	Qualifier(s)
G3.I1	Implement actions for conservation and management of species and/or ecosystems.	3,4,5,6,7,8,9,14

G4 – Initiatives associated with strategies, policies and/or programs for conservation

G4.P - Planning of strategic and political actions for the conservation and/or sustainable use of biodiversity

Record	Action	Qualifier(s)
G4.P1	Elaborate planning of strategic political initiatives for the conservation and/or sustainable use of biodiversity.	2, 3, 4, 5, 6, 7

G4.I - Implementation of strategic and political actions for the conservation and/or sustainable use of biodiversity

Record	Action	Qualifier(s)
G4.I1	Implement/support strategic projects/programs and/or public policies which contribute to the conservation and/or sustainable use of biodiversity. ¹	2, 3, 4, 5, 7, 10
G4.I2	Implement/support communication and/or social mobilization campaigns which contribute to the conservation and/or sustainable use of biodiversity.	2, 11
G4.I3	Establish/maintain partnerships, agreements and/or similar with research institutions, governmental bodies and/or NGOs which contribute to the conservation and/or sustainable use of biodiversity.	2, 11
G4.I4	Implement/support and/or make available information for databases, technical and/or scientific collections referent to the conservation and/or sustainable use of biodiversity.	2, 3, 4, 5, 7

¹ Institutional and/or governmental initiatives which aim to allow the conservation actions on a larger scale. E.g. REDD projects; Payment for Environmental/ Ecosystem Services projects (PES); etc.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 12 of 59

G4.15	Undertake/support actions involving mapping, the elaboration and updating of cartographic bases, and the registering of areas allocated for conservation and the sustainable use of biodiversity.	2, 3, 4, 5, 6, 7, 10
G4.16	Implement/support conservation projects/programs <i>ex situ</i> .	2, 4, 5
G4.17	Implement/support educational projects/programs for the conservation and/or sustainable use of biodiversity.	2, 12
G4.18	Undertake/support studies and/or research which contribute to the conservation, sustainable use and/or mitigation of impacts on native biodiversity.	2, 3, 4, 5, 7,10, 11
G4.19	Implement/support alternative systems of production, which minimize impacts on biodiversity when compared to the traditional systems of production. ²	2

3.1.4 Qualifiers

Each record has specific qualifiers related to an action’s priorities and/or importance for conservation. However, the same must only be applied when there is consistency in their application, always taking into account the objective of the action. This analysis and decision, of which qualifiers shall be applied to the action, falls to the specialist auditor in biodiversity conservation.

During the application of some qualifiers, it may be necessary to consult the specific database, which LIFE Institute makes available on its website³. In item 3.2.4, all the qualifiers applicable to the LIFE Methodology score will be described, and also indicated if the qualifier requires consultation of any of the available databases.

All LIFE qualifiers are listed below, as well as their respective weights (w) and classes (j) used in the Positive Performance in Biodiversity scoring equations, presented in item 4.

² Agro-Forestry Systems (AFSs), Regenerative analog agro-forestry system (RAAFSs), organic systems, permaculture, on-farm conservation and agro-ecological projects in general.

³ Links to obtain information necessary for applying some of the LIFE qualifiers can be found on the LIFE Institute website.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 13 of 59

Q01 – Coverage of native vegetation in good state of conservation⁴ (Weight 2,0)

Percentage classes of re-covering with native vegetation in good state of conservation	j
>90% or ≤100%	2,0
>80% or ≤90%	1,8
>70% or ≤80%	1,6
>60% or ≤70%	1,4
>50% or ≤60%	1,2

Q02 - Coverage of the program or project (Weight 1,7)

Level at which functions	j
National	2,0
Regional	1,8
State	1,6
Local	1,4

Q03 – Ecoregion's biodiversity importance [Weight 2,0]

Ranking	Ecoregion	j
1	Crete Mediterranean forests	2,00
2	Cyprus Mediterranean forests	2,00
3	Iberian conifer forests	2,00
4	Mediterranean acacia-argania dry woodlands and succulent thickets	2,00
5	Mediterranean woodlands and forests	2,00
6	Southeastern Iberian shrubs and woodlands	2,00
7	Tyrrhenian-Adriatic Sclerophyllous and mixed forests	2,00
8	Azores temperate mixed forests	2,00
9	Corsican montane broadleaf and mixed forests	2,00
10	South Appenine mixed montane forests	2,00
11	Canary Islands dry woodlands and forests	2,00
12	Madeira evergreen forests	2,00
13	Southwest Iberian Mediterranean sclerophyllous and mixed forests	2,00
14	Aegean and Western Turkey sclerophyllous and mixed forests	2,00
15	Pindus Mountains mixed forests	2,00
16	Iberian sclerophyllous and semi-deciduous forests	2,00
17	Northwest Iberian montane forests	2,00
18	Northeastern Spain and Southern France Mediterranean forests	2,00
19	Illyrian deciduous forests	2,00
20	Italian sclerophyllous and semi-deciduous forests	2,00

⁴ Little-altered primary or secondary in an advanced succession stage.



21	Euxine-Colchic broadleaf forests	1,97
22	Dinaric Mountains mixed forests	1,64
23	Rodope montane mixed forests	1,60
24	Pyrenees conifer and mixed forests	1,58
25	Scandinavian Montane Birch forest and grasslands	1,53
26	Appenine deciduous montane forests	1,51
27	Carpathian montane forests	1,42
28	Pontic steppe	1,38
29	Alps conifer and mixed forests	1,30
30	Cantabrian mixed forests	1,28
31	Baltic mixed forests	1,26
32	Balkan mixed forests	1,25
33	Pannonian mixed forests	1,25
34	Scandinavian and Russian taiga	1,24
35	North Atlantic moist mixed forests	1,20
36	Western European broadleaf forests	1,18
37	Central European mixed forests	1,18
38	Lake	1,13
39	Atlantic mixed forests	1,12
40	Celtic broadleaf forests	1,11
41	Po Basin mixed forests	1,11
42	Sarmatic mixed forests	1,10
43	East European forest steppe	1,08
Ranking	Marine Ecoregion	j
1	Adriatic Sea	2,00
2	Aegean Sea	2,00
3	Alboran Sea	2,00
4	Ionian Sea	2,00
5	Levantine Sea	2,00
6	Tunisian Plateau/Gulf of Sidra	2,00
7	Western Mediterranean	2,00
8	Azores Canaries Madeira	1,92
9	Saharan Upwelling	1,74
10	South European Atlantic Shelf	1,42
11	Baltic Sea	1,36
12	North Sea	1,28
13	Celtic Seas	1,28
14	Black Sea	1,04

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 15 of 59

Q04 – Category of threatened species⁵ (Weight 2,0)

Category	j
Extinct in the Wild (EW)	2,0
Critically Endangered (CR)	2,0
Endangered (EN)	1,8
Vulnerable (VU)	1,6
Data Deficient (DD)	1,6
Near Threatened (NT)	1,5
Least Concern (LC)	1,1

Q05 – CITES Appendices (2014)⁶ (Weight 1,5)

CITES Appendices	j
Appendix I	2,0
Appendix II	1,7
Appendix III	1,3

Q06 – Management category of the areas making up the mosaic (Weight 1,3)

Categories	j
Only fully protected	2,0
Prioritarily fully protected	1,7
Prioritarily sustainable use	1,5

Q07 – Category of invasive potential of exotic species⁷ (Weight 2,0)

Categories of invasiveness of exotic species	j
European legislation and national legislation	2,0
Species listed only under EU Directives	1,5
Invasive alien species of Union concern	1,3
Invasive alien species of Member State concern	1,1

⁵ IUCN classification, or national and state lists. Use the most local information possible.

⁶ You can consult the Convention on International Trade in Endangered Species of Wild Fauna and Flora – Appendices I, II and III in the LIFE website.

⁷ You can consult the Regulation (EU) No 1143/2014 of the European Parliament and of the Council of 22 October 2014 on the prevention and management of the introduction and spread of invasive alien species and the List of invasive alien species of Union concern in the LIFE website.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 16 of 59

Q08 – Mean distance and width of the connection (Weight 1,5)

Corridor with:	Length		
	100 to 500 m	500 to 1.000 m	Over 1.000 m
Width greater than 200 m	1,6	1,8	2,0
Width between 100 and 199 m	1,4	1,6	1,8
Width between 60 and 99 m	1,3	1,4	1,6
Width between 30 and 59 m	1,1	1,2	1,3

Q09 - Stage of succession⁸ (Weight 1,1)

Stage of succession	j
Advanced stage of succession	2,0
Medium stage of succession	1,5
Initial stage of succession	1,1

Q10 – Management categories for the Protected Area (Weight 2,0)⁹

Categories for the Protected Area	Interest Category	Relation with IUCN Protected Areas Categories	j
Natural World Heritage Sites (UNESCO)	International	Category II: National Park	2,0
Specially Protected Areas of Importance for the Mediterranean (SPAMIs)	International	Category IV: Conservation by means of active handling	1,7
Community Interest Habitats	European	Category IV: Conservation by means of active handling	1,7
Sites of Community Importance (SCI)	European	Category IV: Conservation by means of active handling	1,7
Special Areas of Conservation (SAC)	European	Category IV: Conservation by means of active handling	1,7
Special Protection Areas for Birds (SPAB)	European	Category IV: Conservation by means of active handling	1,7
Important Areas for Birds and Biodiversity (IBA)	International	Category IV: Conservation by means of active handling	1,7
Key areas for biodiversity (KBA)	International	Category IV: Conservation by means of active handling	1,7
Ramsar agreement zones	International	Category V: Conservation by means of active handling	1,6

⁸ You can consult the article "Old-growth forests " of the EUROPARC-España in the references of this document.

⁹ You can consult these data bases in the LIFE website:

- Integrated Biodiversity Assessment Tool (IBAT Tool): is a viewer that requires the creation of an account to access a data map of **IBA, KBA, SPAB (Natura 2000 areas), Natural World Heritage Sites, Ramsar zones, SPAMIs (Regional Seas)**.
- Natura 2000 Network Viewer of the European Environment Agency: to access a data map of **SAC and SCI**.
- Distribution of habitats of the European Environment Agency: to access a data map of **Community Interest**.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 17 of 59

Q11 - Duration of the actions (Weight 1,5)

Duration (years)	j
>5	2,0
5	1,5
4	1,4
3	1,3
2	1,2
1	1,1

Q12 - Frequency and continuity of educational actions for conservation (Weight 1,3)

Frequency and continuity		j
Continuous programs \geq 5 years	More than 50 events (visits to PAs) per year	2,0
Continuous programs \geq 5 years	> 30 and < 50 events (visits to PAs) per year	1,9
Continuous programs \geq 5 years	> 20 and < 30 events (visits to PAs) per year	1,8
Continuous programs \geq 2 years	More than 50 events (visits to PAs) per year	1,7
Continuous programs \geq 2 years	> 20 and < 30 events (visits to PAs) per year	1,6
Continuous programs \geq 1 year	More than 50 events (visits to PAs) per year	1,4
Continuous programs \geq 1 year	> 20 and < 30 events (visits to PAs) per year	1,3
Isolated actions	More than 4 events in 1 year (with visits to PAs)	1,2
Isolated actions	Fewer than 4 events in 1 year, or without visits to PAs	1,1

Q13 - Link to a management plan or equivalent (Weight 2,0)

Link	j
Action linked to an approved management plan	2,0
Action linked to a management plan or similar, or to a non-approved management plan	1,6

Q14 - Aim of the recovery (Weight 1,5)

Aim	j
Ecological restoration	2,0
Recovery for other purposes	1,1

Q15 - Size of the area* (Weight 1,1)

Area (hectares)	J
> 4 millions	2,000
> 1 to 4 millions	1,500
> 500 thousand to 1 million	1,300
> 200 thousand to 500 thousand	1,180

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 18 of 59


> 100 thousand to 200 thousand	1,120
> 50 thousand to 100 thousand	1,080
> 10 thousand to 50 thousand	1,040
> 1 thousand to 10 thousand	1,020
> 200 to 1 thousand	1,006
0 to 200	1,001

* Applicable to management plans for protected areas and/or equivalent; and operationalization actions (administration, contracting/training of HR, infrastructure, inspection and demarcation of areas).

3.2 Classification of the actions

3.2.1 Flowchart

The flowchart below represents the rule for the classification of the biodiversity classification actions, according to the LIFE Methodology.



The following definitions are considered for the classification of the actions.

- a) **DIRECT EFFECT ACTIONS:** nature conservation actions, in protected or non-protected areas, i. e. actions that provide for the management of nature, including preservation, maintenance, sustainable use, restoration and recovery of natural environments, to produce the greatest benefit, on a sustainable basis, for current generations, maintaining its potential to satisfy the needs and aspirations of future generations, and ensuring the survival of living beings in general.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 19 of 59

Examples of direct effect actions that can be scored in LIFE Methodology:

- Creation /Adoption of protected areas;
- Elaboration / Implementation of management plans;
- Infrastructure of areas (surveillance, signaling, fire protection, etc.);
- Restoration and recovery of areas;
- Control of exotic species;
- Implementation of ecological corridors;
- Landscape management;
- Rescue of fauna and flora;
- Reintroduction of species;
- Monitoring of species linked to a species management program.

b) INDIRECT EFFECT ACTIONS: strategic actions for conservation, which play a relevant role in generating and disseminating good practices related to biodiversity. They may be related to a protected or non-protected area.

Examples of indirect effects actions that can be scored in LIFE Methodology:

- Public policies with benefits for conservation;
- Awareness actions for biodiversity conservation;
- Communication campaigns and social mobilization;
- Studies, surveys, characterizations, investigations for conservation;
- Making information available for conservation databases;
- REDD projects, PES and ecosystem valuation;
- Partnerships that contribute to conservation;
- Ex situ conservation (nursery, greenhouse, germplasm bank, conservation centers, etc.)
- Alternative production systems that minimize impacts on biodiversity;
- Mapping of areas for landscape management;
- Management and/or Sustainability Plans/Programs of the organization;
- Mitigation of impacts caused by the organization.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 20 of 59

3.2.2 General rules for classification

- a) The classification of each action must consider its general objective, even when the action is linked to a larger project with a different objective. One must identify only the action's main objective, even if it has different aspects, consequences, and effects.
- b) Whenever the characteristics of an action allow it to be classified in more than one record, one can choose the classification in the record with the highest score.
- c) The planning or elaboration of a project/program for biodiversity conservation which contains various actions are scored only once, in accordance with its objective, in G1.P1; G2.P1; G3.P1 or G4.P1. However, each action stipulated and undertaken is scored individually in the records for implementation (G1.I1; G2.I1; G3.I1 or G4.I1).
- d) Actions which are not undertaken in a localized way and/or localized actions which have an indirect effect for conservation are classified in G4.

3.2.3 Interpretation of Records

The actions which can be classified in each record are presented below.

Actions which are not mentioned in this item can be classified in accordance with the auditor's interpretation.

- a) **G1.C1 and G2.C1:** Actions of creating and adopting protected areas; support for the creation of public conservation units (CU's); and the creation of mosaics of protected areas.
- b) **G1.P1 and G2.P1:** Elaboration of a management plan (MP) for the protected area or financial support for its elaboration; and planning of actions for conservation and management in the protected area¹⁰.
- c) **G1.I1 and G2.I1:** Actions of conservation and/or management of biodiversity, implemented in the protected area in its buffer zone (BZ).

¹⁰ The approval of the plan by the official body (G1) is scored using qualifier 13 (item 3.1.4).

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 21 of 59

These are actions stipulated in the area's management plan, or similar document (Management Plan, in the case of G2). Examples:

- Reintroduction of species.
- Ecological restoration.
- Recovery of degraded areas.
- Removal and control of exotic invasive species.
- Interventions in the habitat to viabilize species' reproduction and survival.
- Implantation of green corridors, management of countryside involving protected areas.
- Monitoring species for conservation within protected areas, considering that monitoring must be within a set of other actions that characterize a species management program. If it is a one-off monitoring action, it should be classified in Group 4.

Actions undertaken in the surroundings of protected areas are scored in G1.I1 or G2.I1 only when they are considered part of the area's buffer zone. Otherwise, they must be scored in G3.I1.

d) G1.I2 and G2.I2: Actions of operationalization of the protected area for biodiversity conservation.

Examples:

- Actions of inspection/patrolling;
- Actions of protection against fire;
- Actions of delimitation and the demarcation of the area;
- Signposting of the area;
- Implementation and maintenance of trails and fire breaks;
- Actions of implementation and maintenance of infrastructure;
- Actions of contracting/training human resources.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 22 of 59

e) **G3.P1:** Elaborate planning of actions for conservation and management of species and/or ecosystems. Examples:

- Elaboration of projects/programs for the management and conservation of threatened, endemic vulnerable taxa;
- Elaboration of projects/programs for the reduction of accidental capture during fishing activities;
- Elaboration of projects/programs for prevention and control of biological invasion;
- Elaboration of projects/programs for the ecological restoration of ecosystems;
- Elaboration of projects/programs for the implantation of green corridors and/or countryside management.

f) **G3.I1:** Implement actions for the conservation and management of species and/or ecosystems. This record also considers the actions stipulated in G1.I1 and G2.I1, but which, however, do not occur in protected areas. Examples:

- Reintroduction of species;
- Restoration of ecological interactions;
- Recovery of degraded areas;
- Interventions in the habitat, in rural or urban areas, in order to viabilize the reproduction and survival of species;
- Removal and control of exotic species;
- Fishways;
- Rescuing flora and fauna;
- Implantation of green corridors/countryside management, involving non-protected areas.
- Monitoring species for conservation within protected areas, considering that monitoring must be within a set of other actions that characterize a species management program outside

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 23 of 59

protected areas. If it is a one-off monitoring action, it should be classified in Group 4.

Conservation actions in mosaics and/or involving protected areas must be classified as G1.I1 or G2.I1.

g) G4.P1: Elaborate planning of strategic or political initiatives for the conservation and/or sustainable use of biodiversity, such as:

- Elaborate projects/programs of Payment for Environmental/Ecosystem Services (PES)/ Reducing Emissions from Deforestation and Degradation (REDD);
- Elaborate projects which may be institutionalized as public policies for biodiversity conservation;
- Elaborate/support public policies which result in biodiversity conservation;
- Elaborate research projects/programs related to biodiversity conservation;
- Elaborate environmental education projects/programs;
- Elaborate projects/programs for the impacts mitigation on biodiversity.

Within G4.P1, one classifies all elaborations of other programs/projects, whose implementation functions as an instrument for the spreading of practices for biodiversity conservation. Only those Plans/projects/programs which meet the minimum content stipulated in item 5 may be scored.

Projects and/or biodiversity impact mitigation programs are those related to the organization's production process.

h) G4.I1: Implement/support projects/programs and/or public policies which contribute to the conservation and/or sustainable use of biodiversity, such as:

- Implementation of REDD projects;
- Implementation of Payment for Environmental/Ecosystem Services (PES) Projects;
- Participation and support in the implementation of public policies;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 24 of 59

- Implementation of actions to mitigate impacts on biodiversity.

The implementation of PES projects/programs is considered to include their institutionalization by the body responsible, in accordance with the evidence listed in item 5 (e.g.: routine for payment of environmental/ ecosystem services implemented). Once the institutionalization of the project/program generates concrete actions in the field (e.g.: recovery of area, undertaken by the producer registered in the Payment for Environmental/ Ecosystem Services (PES), each one of these actions may be classified individually as actions of conservation and management, depending on their characteristics (in G1, G2 or G3), scoring cumulatively, besides the score for the planning of the strategic project/program which led to them.

Other strategic projects, besides those mentioned, can be scored in this record, as long as: a) the same functions as an instrument (economic; political or similar) for disseminating biodiversity conservation actions; b) it does not fit in any of the record G4.I.

- i) **G4.I2:** Implement/support communication campaigns and/or social mobilization campaigns which contribute to the conservation and/or sustainable use of biodiversity.

Communication campaigns differ from environmental educational programs as they are specific actions, with emphasis on specific groups, transmitting specific concepts for raising peoples' awareness. Campaigns do not measure qualitative results, as they cannot monitor the groups which the campaign was aimed at. The following are considered to be actions of communication and/or social mobilization campaigns:

- Campaigns for publicity for, and explanation of, impacts on biodiversity;
- Social mobilization campaigns for biodiversity conservation;
- Campaigns encouraging the protection of physical areas, encouraging the creation of new protected areas and the strengthening of those already existing;
- Campaigns for encouraging the reduction of pressure on natural environments and the

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 25 of 59

reduction of various impacts on biodiversity, through lectures, videos, pamphlets, books, and television and Internet campaigns;

- Campaigns for education on themes relating to biodiversity conservation.

j) **G4.I3:** Establish/maintain partnerships, agreements and/or similar with research institutions, governmental bodies, or NGOs which contribute to the conservation and/or sustainable use of biodiversity. Examples:

- Partnership with a university for conservation research;
- Agreements with NGOs for development of conservation projects.

k) **G4.I4:** Implement/support and/or make available information for databases, technical or scientific collections referent to conservation and/or sustainable use of biodiversity, such as:

- The collecting, researching, and systematization of general information on biodiversity (primary or secondary data related to biological and ecological information; environmental impacts and their relationship with biodiversity; data on conservation of biodiversity; instruments and initiatives related to biodiversity);
- Transference of general information on biodiversity between institutions and/or the management of this information in networks;
- Making information on biodiversity available to the public.

l) **G4.I5:** Undertake/support actions of mapping or of elaborating and updating cartographic bases, and registering areas set aside for conservation and/or the sustainable use of biodiversity.

- Mapping of natural areas for the elaboration of countryside management projects;
- Mapping of legal reserves in rural properties in order to update government records.

m) **G4.I6:** Implement/support *ex-situ* conservation programs/projects.

Ex-situ conservation is understood as any actions for the maintenance of biodiversity which occur

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 26 of 59

outside the natural habitat. The following are considered *ex-situ* conservation actions:

- Maintenance of genetic resources in conservation chambers;
- Tissue cultures (conservation in vitro);
- Cryogenics;
- Conservation of microorganisms in laboratories;
- Maintenance of genetic resources in the field (conservation in vivo);
- Germoplasm banks (vegetable species);
- Conservation nuclei (animal species);
- Cultivation and conservation of resources in greenhouses and nurseries.

n) **G4.17:** Implement/support educational actions for the conservation and/or sustainable use of biodiversity.

Educational programs with technical consistency for conceptualizing, explaining and raising the awareness of their publics of interest in relation to the importance of biodiversity conservation are scored as actions of environmental education. They measure qualitative results. The following are considered educational actions for the conservation and/or sustainable use of biodiversity:

- The implementing of a program of environmental education in schools, covering the formation of a new social and environmental ethics related to biodiversity conservation;
- Creating a museum, or similar, aimed at education for biodiversity conservation;
- Undertake workshops and lectures for different groups, in which it is possible to monitor the results of the same.

o) **G4.18:** Undertake/support studies and/or research contributing to conservation, sustainable use, and/or the mitigation of impacts on native biodiversity.

The objective of the study and/or research to be scored must obligatorily be related to the contribution of direct or indirect effect to the biodiversity conservation. Generic studies and/or

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 27 of 59

research involving various species are scored only once. However, if the content is refined for each species, the studies/research may be scored individually.

The specific actions of species monitoring, such as surveys and censuses, are classified in this register, as they do not have the objective of conservation and management, but of study for conservation.

p) G4.I9: Implement/support alternative production systems which minimize the impacts on biodiversity, in comparison with traditional production systems.

As with the previous records, the actions of this record must also contribute to the conservation of biodiversity, minimizing the impacts generated by the traditional systems of production. However, if the action's objective is only the commercialization of a specific species, the same must not be scored as a conservation action. The following projects are considered alternative systems of production:

- Agroecological;
- Organic;
- Permaculture;
- AFSs and/or RAAFSs;
- On-farm conservation and/or similar.

On-farm conservation is one of the forms of genetic conservation *in situ* of agrobiodiversity.

3.2.4 General guidance for the application of the qualifiers

For each record, specific qualifiers are applied, such that the same may aggregate scores for the action as a result of qualitative and quantitative characteristics, indicating its importance for conservation. When the information referring to the qualifier is not provided by the company, the same must not be applied. Information and guidance for its use is presented below.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 28 of 59

a) Q01 – Coverage of native vegetation in a good state of conservation:

This qualifier refers to the state of conservation of what remains of the area’s coverage of vegetation, considering primary or secondary forests little altered in an advanced stage of succession.

b) Q02 – Coverage of the program or project:

This qualifier applies exclusively to the G4 records, elaboration and implementation of strategic or political actions for conservation, and has the following categories:

- National: various States in more than one Region;
- Regional: more than one State in the same Region;
- State: more than one municipality in the same State;
- Local: one municipality, or neighboring municipalities.

c) Q03 – Ecoregion’ biodiversity importance:

This qualifier is considered to be of extreme importance, as it considers the size of the area, and the ecoregion in which the action is undertaken. Ecoregion is defined as a geographical unit defined by similarity of flora and fauna, and reflects the remaining proportion of the geographical space’s native vegetation. In the case of Europe, 43 terrestrial ecoregions and 14 marine ecoregions.

The qualifier’s j values were obtained through the overlapping of 4 conservation priority area European database: The habitat's Directive (Directive 92/43/EEC), Key Biodiversity Areas (KBA`s), Natura 2000 and Biodiversity Hotspots (Conservation International), resulting in the ranking of the ecoregion’s importance for biodiversity conservation. When an action covers more than one ecoregion, one should consider the ecoregion which covers the largest area.

The shapefiles of the ecoregions can be consulted on the LIFE Institute website.

d) Q04 – Category of species threatened:

It is necessary to consider the category of threat defined in the state, national or international (IUCN)

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 29 of 59

lists, in that order, as relevant. If the information is available in the state database or in another, refined database, this information must be taken into account. When no local databases are available, one must use the national information. Information from international databases must be used in cases where there is no other database refined to a more regionalized level.

This qualifier must be used whenever a project for an action is geared towards a particular species. For an action whose objective is not directly related to one species (e.g.: the restoration of degraded areas), but which provides a list of species used, the auditor can use the category of the most threatened species in the scoring process. Nevertheless, in this case, the application of the qualifier depends on the judgment of the auditor in relation to the possibility of the action contributing to the conservation of the species in question.

The IUCN list can be obtained through consulting the IUCN or the LIFE Institute websites.

e) Q05 – CITES Appendices:

The CITES (Convention on International Trade in Endangered Species of Wild Fauna and Flora) is a multilateral agreement, in which one country can propose environmental regulations for other countries, without prejudicing the concept of sovereignty. The Appendices are defined below:

- Appendix I – species threatened with extinction: international commerce in it is prohibited, except for scientific conservation;
- Appendix II – species which may become extinct if their exploitation and sale is not regulated: this commerce is only permitted when it does not threaten their continued survival; and
- Appendix III – species living in countries which are members, which already regulate trade in said species, and to this end request the collaboration of the other members.

This qualifier must be applied following the same system as the previous qualifier.

The list with the appendices can be obtained through consulting the CITES or the LIFE Institute websites.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 30 of 59

f) Q06 – Category of management of the areas which make up mosaics:

This qualifier applies only to actions related to mosaics, considering the highest-priority category of management of the areas which make up the mosaics. In the case of actions related to mosaics of natural areas without formal protection, one must consider the equivalence of the management applied to the areas in question. When this qualifier is applied, qualifier 10 must not be applied.

g) Q07 – Category of invasive potential of exotic species:

This qualifier considers the classes established by Regulation (EU) No 1143/2014 of the European Parliament and of the Council of 22 October 2014 on the prevention and management of the introduction and spread of invasive alien species. This Regulation establishes restrictions and measures for those species included in the List of Invasive Alien Species of Concern for the EU. Member States can also have lists of invasive alien species identified at national level. The application of this qualifier depends on the presentation of a technical/scientific document by the certified organization, or organization applying for certification, which substantiates the classification of the category of invasiveness in which the species is found.

The list of invasive alien species of Union concern can be obtained through consulting the LIFE Institute websites.

h) Q08 – Mean distance and width of the connection:

This qualifier is only applied to actions related to wildlife corridors. As with the other qualifiers, when the mean length and width of the corridor are not provided, this qualifier must not be applied.

i) Q09 – Stage of succession:

This qualifier is applied only in records for conservation and management of protected and non-protected areas; for example, in areas of forest restoration, the qualifier must be applied only when

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 31 of 59

the action has already been implemented the restoration and it is possible to analyze the stage of succession of the restored area.

The stages of succession of this qualifier were proposed based on the classes established in Brazil. However, the article "**Old-growth forests: characteristics and conservation value**" (EUROPARC-España, 2017) was also used as a reference.

Below is the equivalence between the stages of succession proposed by EUROPARC-España and the stages of succession established for Europe and Brazil:

- Senescence or 'Old-Growth' phase = **Advanced succession stage.**
- Exclusion phase and Maturation phase = **Middle succession stage.**
- Occupation phase and Height Growth and Tree Canopy Closure phase = **Early succession stage.**

j) **Q10 – Categories of Management of Protected Areas:**

This qualifier applies to records in which the actions are undertaken in any of the categories of formally protected areas (G1) listed in item 3.1.4.

If the action takes place in an area with more than one protection category, the category with the highest weight can be chosen.

In the case of actions in mosaics, this qualifier must not be applied.

This qualifier is also applicable to actions developed in areas that are not formally protected (G2), but are managed according to one of the categories listed in item 3.1.4 and have a term of commitment for the protection and management of the area.

k) **Q11 – Duration of action:**

This qualifier must be applied only when the duration of the action affects its result. It falls to the auditor to interpret the application of the same.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 32 of 59

l) Q12 – Frequency and continuity of the action:

This qualifier is applied only to actions which are related to education for biodiversity conservation (G4.I7).

m) Q13 – Link to a Management Plan or equivalent:

The management plan does not necessarily need to be approved by the body responsible. However, if the same is approved, this will result in higher scoring to the qualifier.

n) Q14 – Purpose of the recovery:

This qualifier considers both actions of ecological restoration, and actions aimed at the ecological recovery of areas.

- Restoration: The term restoration refers obligatorily to the return to the area’s original state, as it was prior to degradation. By ‘return to the original state’, it is understood that all of the aspects related to the topography, the vegetation, the fauna, the soil, the hydrology, etc. present the same characteristics as they did prior to the degradation.
- Recovery: this is the return of the degraded site to a form of use, according to a pre-established plan for the use of the land, with a view to obtaining stability of the environment.

o) Q15 – Size of the area:

For the cases of planning of actions (G1.P1; G2.P1 and G3.P1) and operationalization of protected areas (G1.I2 and G2.I2) this qualifier refers to the estimate for the area which will be covered in the management plan and/or in the planning of actions for the conservation and management of the biodiversity and, in the actions of operationalization of the area, when applicable. This qualifier does not apply to records for implementation of the conservation actions and management actions, as when the size of the area directly influences the result of the action implemented, such as actions to remove exotic species and restoration of degraded areas, this information regarding the size of the area will already be included in the equation used for these types of action (item 4.1 c)).


	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 33 of 59

4. SCORING THE BIODIVERSITY CONSERVATION ACTIONS

The information presented in this document is only a description of the calculations used. Obtaining the BPP is facilitated through the use of an automated calculation tool provided by the LIFE Institute, upon consultation.

4.1 Calculation of the score

Each Group and Theme has a weight, according to its importance. The groups' weight is presented below:



The weight of the Themes varies according to the contribution of the phase in which each fits:

Phase	Importance for biodiversity conservation	Weight
Creation of protected area (C)	Direct maintenance, in the short term, of the ecosystem	100
Planning of actions (P)	Increase in the chance of obtaining efficacy from the actions to be undertaken	60
Implementation of actions (I)	Guarantee that the actions for biodiversity conservation have been undertaken	40

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 34 of 59

Group	Theme	Weight	Group x Theme
1	C	100	1000
	P	60	600
	I	40	400

Group	Theme	Weight	Group x Theme
2	C	100	800
	P	60	480
	I	40	320

Group	Theme	Weight	Group x Theme
3	P	60	360
	I	40	240

Group	Theme	Weight	Group x Theme
4	P	60	120
	I	40	80

The standard equation used by the LIFE Methodology for scoring conservation actions is as follows:

$$C = G \times T \times \left(\sum_{q=1}^n w_q * j_q \right)$$

In which:

C = the score for the Conservation Action

G = the weight of the Group in which the action is classified

T = the weight of the Theme in which the action is classified

q = the identification of the qualifiers applicable to the action ($1 \leq q \leq 15$)

n = the number of qualifiers applicable to the action ($1 \leq n \leq 15$)

w_q = the weight of each qualifier ($1, 1 \leq w \leq 2, 0$)

j_q = the value of the class within the qualifier ($1, 001 \leq j \leq 2, 0$)

This equation has variations, because of the influence which the size of the area and its location (ecoregion) exercise in specific actions:

- a) C_P/C_I Records: Planning actions and other Implementation actions, except for conservation and management actions (Records G1.I1, G2.I1 and G3.I1) present in all groups are called C_P/C_I Records, respectively. They are scored in accordance with the standard equation:

$$C_P/C_I = G \times T \times \left(\sum_{q=1}^n w_q * j_q \right)$$

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 35 of 59

In which:

C_P/C_I = Scoring of the Planning and Implementation Actions

G = weight of the Group in which the action is classified

T = weight of the Theme in which the action is classified

q = identification of the Qualifier ($1 \leq q \leq 15$)

n = number of qualifiers applicable to the action ($1 \leq n \leq 15$)

w_q = weight of the Qualifier ($1, 1 \leq w \leq 2, 0$)

j_q = class of the Qualifier ($1, 001 \leq j \leq 2, 0$)

- b) C_C Records: the actions of Creating or adopting areas, which are influenced directly by the ecoregion and size of the area, present in Groups 1 and 2 are called C_C Records, and are scored in accordance with the following variation of the standard equation:

$$C_C = G \times T \times \left(\sum_{q=1}^n w_q * j_q \right) \times \left(\frac{j_{q03}}{150} \right) \times S$$

In which:

C_C = Scoring of the Action of Creation/Adoption of an area

G = weight of the Group in which the action is classified

T = weight of the Theme in which the action is classified

q = identification of the qualifiers applicable to the action ($1 \leq q \leq 15$)

n = number of qualifiers applicable to the action ($1 \leq n \leq 15$)

w_q = weight of each qualifier ($1, 1 \leq w \leq 2, 0$)

j_q = value of the class within the qualifier ($1, 042 \leq j \leq 2, 0$)

j_{q03} = value of the class in the qualifier of importance of the ecoregion

S = area created or adopted (in hectares)

- c) C_I Records: the actions of conservation and management of the biodiversity which are also directly influenced by the ecoregion and size of the area, present in Groups 1, 2 and 3, and called C_I Records, are scored in accordance with the following variation of the standard equation:

$$C_I = G \times T \times \left(\sum_{q=1}^n w_q * j_q \right) \times \left(\frac{j_{q03}}{150} \right) \times \sqrt{S}$$

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 36 of 59

In which:

C_I = Scoring of the Action of Conservation and Management

G = weight of the Group in which the action is classified

T = weight of the Theme in which the action is classified

q = identification of the qualifiers applicable to the action ($1 \leq q \leq 15$)

n = number of qualifiers applicable to the action ($1 \leq n \leq 15$)

w_q = weight of each qualifier ($1, 1 \leq w \leq 2, 0$)

j_q = value of the class within the qualifier ($1, 042 \leq j \leq 2, 0$)

j_{q03} = value of the class in the qualifier of importance of the ecoregion

S = size of the area under conservation or management (in hectares)

For wildlife conservation and management actions, this equation should be applied, however, the size of the area should not be considered.

After the individual scoring of each action record, the BPP is calculated:

$$BCA_{\text{achieved}} = \sum_{k=1}^n C_k$$

In which:

C_k = Score for each record k ($1 \leq k \leq n$)

n = number of records scored

4.2 General rules for scoring

- a) Each conservation and/or sustainable use of biodiversity action must be classified in only one record (Group and Theme) of this document. All records must be scored in two ways by the auditor:
- **Full score:** the total score expected for the record, taking into account the qualifiers considered applicable and essential for the action, due to its specific characteristics. This occurs when the action is considered complete and satisfactory by the auditor.
 - **Partial score (50%):** actions subject to opportunities for improvement (OI). This occurs when there is an opportunity considered by the auditor as significant due to the specific characteristics of the action and of the information presented as evidence and content (item 5). The discounting

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 37 of 59

of 50% is applied to the total value of the score of the record, including the application of the qualifiers relating to the action. The actions which are partially scored will obligatorily appear linked to the Opportunities for Improvement (OI) in the audit report, such that the action may be scored fully in a future opportunity.

- b) A minimum of 70% of the Minimum Performance in Biodiversity (BMP) calculated must be achieved in year zero of LIFE Certification.
- c) **At least 30% of the Minimum Performance in Biodiversity (BMP) score must arise from actions undertaken in the same ecoregion as the one in which the organization is established. This rule aims to ensure a minimum compensation in the locality where the organization’s main direct impacts occur.**

4.3 Credits of the score for certification purposes

- a) The score obtained through the application of this document will be credited to the Business/Industrial Unit (unique business identification number) applying for certification, or to the manager of the LIFE Certification.
- b) In the case of a Holding, the group must define which unit (unique business identification number) is to receive the points in actions for conservation, specifying that the other units are in accordance with the credit, aware that this cannot be used by them. Obligatorily, this unit will be used as a reference for the calculation of the Biodiversity Pressure Index – BPI (in accordance with LIFE-TG01).
- c) In exceptional circumstances, the group can choose to certify the entire Holding, so long as it can substantiate to the Certifying Body (CB) all the information for the calculation of Biodiversity and Ecosystem Services Action Plan (BAP) of all the units, which will be summed for defining the BMP. In addition to this, all the units must satisfy the LIFE Certification Standards. In this case, the BAP score can be used for the group as a whole.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 38 of 59

d) Should the certified organization or organization applying for certification support conservation actions undertaken by independent institutions (NGOs, OSCIP, Governmental Bodies, etc.) through the passing on of resources, established by agreements or other modes of partnership:

- The certified organization or organization applying for certification must inform the Certifying Body which of these actions will be the object of the evaluation;
- The institution which is directly responsible for the application of the resources in the undertaking of the actions must provide a certificate that the actions indicated by the certified organization or organization applying for certification can be the object of scoring for the same. In this case, the scoring of the actions linked to the certificate cannot be used by another organization. This rule aims to regulate the form of distribution of credits of scores relating to the actions undertaken or financed by Foundations or other institutions.

4.4 The duration of the validity of the score

LIFE Certification is valid for five years from the date that the Certificate is issued. As actions with different characteristics may be scored, the evaluation methodology and score establish criteria of duration, that is to say, the validity of the score attributed to each action during the certification cycle, as shown in the table below:

Actions Characteristics	Duration of Validity of the Score
Creation/adoption of protected areas	The score is given for the creation or adoption of the PA. The score is maintained from one auditing to the next, without an expiration date, as long as the area is maintained under conservation.
Donation of area	The score is given to the donator, regardless of when the donation was made, as long as the conservation of the natural area is proven at the time of the audit. The score is maintained from one audit to the next, without an expiration date, as long as the area is maintained under conservation.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 39 of 59

Plans for management and/or equivalent; Planning actions	<p>The score is given regardless of when the documents were prepared, as long as the same are approved by a competent environmental body, when applicable. The score is maintained from one audit to the next while the documents are valid.</p> <p>The planning keeps its score in the monitoring audits as long as the same is implemented or in an implementation phase. Only in their first evaluation can the planning actions be scored without the actions stipulated being implemented. In the case of the implementation of the action(s) stipulated not having been initiated within the period of one year, the score is discounted.</p>
Conservation and management actions	<p>The score is given regardless of when the actions occurred (they may be finalized or in progress), as long as the state of conservation of the area and/or species in question is substantiated. The score is maintained from one audit to the next, without an expiration date, as long as the quality of the actions is substantiated.</p>
Infrastructure and inspection of the protected area	<p>The score is given regardless of when the protected area's infrastructure was installed, or when the inspection actions were initiated, as long as it can be proven that they are being maintained in a functioning condition. The score can be maintained from one audit to the next. However, should the infrastructure or inspection actions change (quality, quantity, etc.), the score may be increased, reduced (50%) or annulled.</p>
Human resources for management and maintenance of the protected area	<p>The score is given for the existence of human resources for management and maintenance of the protected area. The score may be maintained from one audit to the next. However, should changes be detected in the human resources (quantity, level of training, etc.), the score may be increased, reduced (50%) or annulled.</p>
Operationalization of protected area	<p>The score is given for the existence of the actions of operationalization in general of the protected area, regardless of when the same were initiated. The score may be maintained from one audit to the next. However, should changes be detected in the actions (quantity, quality, adequacy, etc.) between one audit and the next, the score may be increased, reduced (50%), or annulled.</p>
Studies and research projects	<p>The score is given for ongoing actions or actions which are finalized in a period of up to one year prior to the audit. The score may be maintained from one audit to the next, as long as it is proven that the action is ongoing. In this case, it is necessary to prove the progress of the works during the intervals between audits. The score can be annulled, increased or reduced (50%) from one audit to the next, should there be changes in its status and/or quality.</p>
Integration; environmental education; actions with communities	
Strategic programs and projects	
Support for the development and implementation of public policies	
Databases; technical and/or scientific collections	
Mapping; Cartographic bases; Registering of areas	

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 40 of 59

<i>Ex-situ</i> conservation programs and projects	
Alternative systems of production for minimizing impacts	The score is given for the implementation and maintenance of the system. The score can be maintained from one audit to the next. However, should changes be detected between one audit and the next, the score can be increased, reduced (50%), or annulled.
Partnership, agreements and/or similar with research institutions, governmental bodies and/or NGOs	The score is given for the existence of a formal agreement between the certified organization or candidate for certification and the NGO(s), governmental bodies and research institutions regardless of when the action was undertaken. The score can be maintained as long as the agreement exists, as long as the results of the agreement can be demonstrated and proven, considering its specific objectives over time.

The duration of the validity of the action aims to link the maintaining of the credits of the score with the period in which the same is undertaken. However, some actions are more strongly influenced by the continuity and durability of the action. In these cases, qualifier 11 applies.

5. GUIDE FOR EVIDENCE AND CONTENT FOR VERIFICATION (GECV)

This part of the document lists the evidence of action and the content for verification and scoring of each Record by the auditor. The evidence is the records and other documents which validate the undertaking of the conservation action, while the **content for verification** lists the information which can validate its quality.

The full score does not depend on the presentation of all the evidence and content listed, as not all are applicable in all situations. The auditor must evaluate which are applicable and/or essential in order to score each action in relation to its specific characteristics. This information must guide the auditor in defining the **Opportunities for Improvement (OI)**, as set out in the Auditing Guide.

Records	Actions
G1.C1	Create or adopt protected areas
G2.C1	

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 41 of 59

Creation of areas:

a) Evidence of action:

- Deeds of the area, or registering of the building;
- Legal proof referent to the creation of areas which are officially instituted;
- Covenant or equivalent in the case of areas which are not officially instituted;
- Note of transfer of funds for the creation of the area;
- Publication in the Union Official Journal (DOU) or the Official Press of the State in question (for Private Reserves);
- Verification in loco of the area, or by remote sensing, comparing these with information from official documentation.

b) Content for verification:

- Date of the documents;
- Commitments undertaken;
- Legal validity;
- Size of the area;
- Specific indicators of the preliminary works referent to the creation of protected areas;
- Objectives and functionality of the area, in order to confirm the equivalency with the IUCN category scored in qualifier 10;
- Financial report, financial audit report and similar documents which evidence the application of the resource to the purpose to which it is destined;
- Information on the contribution to the increasing of protected area in the country.

Adoption:

a) Evidence of the action:

- Terms of Adoption, contract or equivalent;
- Protection and maintenance of the protected area in the field;
- Legal proof referent to the status of the area, in the case of an area which is officially instituted.

b) Content for verification:

- Objectives and functionality of the area in order to confirm the equivalence with the IUCN

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 42 of 59

category scored for in qualifier 10;

- Meeting of the obligations taken on by both parties, documental and in the field;
- Period of validity of the adoption contract;
- Legality and validity of the Terms of Adoption or similar and their period of validity.

Records	Actions
G1.P1	Elaborate management plan and/or planning and conservation actions in the protected area
G2.P1	
G3.P1	Elaborate the planning of actions for conservation and management of species and/or ecosystems
G4.P1	Elaborate a strategic or political initiative project for the conservation and/or sustainable use of biodiversity

Elaboration of Management Plans (G1) and/or equivalent (G2):

a) Evidence of action:

- Management Plan (G1) or equivalent (G2) concluded;
- Management Plan approved by the competent body.

b) Content for verification:

- Characterization of the area;
- Diagnosis of protected area considering abiotic, biotic and socio-economic environments;
- Management objectives for the protected area, so as to guide and support its management, based on a preliminary diagnosis;
- Actions stipulated which contribute to meeting the objectives established in the creation of the area, in accordance with its conservation category;
- Differentiation and intensity of use defined through zoning, with a view to the protection of its natural and cultural resources;
- Emphasis on the representativeness of the protected area in the national scenario;
- Declaration of the significance of the protected area, based on the diagnosis;
- Guideline for the application of resources in the protected area;
- Schedule of activities and costs, considering the results expected;
- Analysis of connectivity with the other protected areas and remaining areas;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 43 of 59

- Information in accordance with guidance from the environmental body responsible (e.g.: Methodological Procedure);
- Management programs structured based in planning for results.

General content of G1.P1, G2.P1 and G3.P1:

- Clear definition of the objective;
- Definition of target species or taxonomic group(s);
- Description of the interventions stipulated with references;
- Monitoring stages;
- Definition of the indicators to be monitored;
- Definition of the expected results;
- Rationale for the intervention technique used;
- Consistency between the technique used and the results expected;
- Meeting the legislation currently in force;
- Action Plan (activities stipulated, time periods, persons responsible).

Content of G3.P1, specific for:

Management programs/projects for the conservation of threatened, endemic or vulnerable taxa:

- Pre-adaptation/adaptation techniques;
- Monitoring of adaptation;
- Evaluation of risks prior to release in the case of reintroduction;
- Record of veterinary support;
- Area managed, planted or recovered (ha);
- Phytosociological analysis;
- Regeneration rates.

Programs/projects for reducing accidental capture during fishing activities (bycatch):

- Landing surveys;
- Definition and rationale for indicator taxa;
- Rates of accidental capture v. taxa captured v. fishing technique

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 44 of 59

Programs/projects for prevention and control of biological invasion:

- Identification of potentially invasive species in the environment, and threatened native species;
- Identification of the species' level of invasiveness;
- Biological control techniques and their rationale;
- Observation of legal restrictions in the choice and implementation of control methods;
- Legal permission;
- Controlled area (ha) and area eradicated (ha);
- Appropriate scale of application of the prevention techniques applied.

Ecological restoration programs/projects:

- Species selected, and the rationale behind this;
- Mapping of the size of the area being restored.
- Degraded area; restored area (ha); recovered area;
- Land/flora environment: number of saplings planted and spacing compatible with the effectiveness of the restoration; appropriate cultural and silvicultural treaties; rates of survival, adaptation and recruitment.
- Fauna: rates of survival and adaptation;
- Marine environment: artificial reefs; anti-trawl fishing devices;
- Techniques' compatibility with the natural ecosystem;
- Frequency and effectiveness of the actions of maintenance and monitoring of the area;
- Report from a qualified professional.

Programs/projects for Management of Impacts on Biodiversity:

- Delimitation of the area;
- Mapping;
- Identification of impacts and risks;
- Identification of emergencies and priorities for conservation;
- Definition of restrictions on activities, or use by zoning;
- Definition of strategies for mitigation and remediation of impacts;
- Definition of strategy for monitoring the main elements impacting the local biodiversity;
- Definition of strategies for monitoring the local biodiversity associated with monitoring of impacting elements;
- Being based in relevant previous references or studies (e.g.: Environmental Impact Study

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 45 of 59

(EIS) – Environmental Impact Report (EIR);

- Present indicators of the actions and of the results of these on biodiversity, through plans for monitoring biodiversity.

Programs/projects for wildlife corridors and/or countryside management:

- Mapping of the natural environments;
- Mapping of areas with potential for connectivity;
- Rural properties registered;
- Satellite images or aerial photographs;
- Evaluation of the effects of fragmentation on the area;
- Evaluation of the area in the context and structure of the countryside;
- Corridor or mosaic planned in accordance with the principles of Landscape Ecology;
- Official documents;
- Methodological procedure and the relevant scientific bibliography for its planning and management;
- Border effects, presence of invasive species, etc.;
- Appropriate indices/metrics to assess composition and disposition.

Records	Actions
G1.I1	Implement actions for conservation and management of biodiversity in the protected area
G2.I1	
G3.I1	Implement actions of conservation and management of species and/or ecosystems

a) Evidence of action:

- Technical Reports;
- Photographic records;
- Reports of the actions and monitoring undertaken;
- Result reports;
- Legal permission required;
- Reports of independent audits;
- Invoices referent to the interventions in the field, when tertiarized;
- Technical and scientific articles and publications;
- Contract(s) with specialized consultancies or teaching and research institutions or with service companies.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 46 of 59

b) Content for verification:

- Localization and classification of the ecoregion;
- Size of the area;
- Data from the documents and reports;
- Quality of the interventions evaluated in the field;
- Consistence with what was planned under the program/project (G.P1), when this has been scored;
- Rationale for the choice of the species, ecosystems and management techniques adopted.

Specific content for:

Restoration of fragments and implementation of buffer zone around protected areas:

a) Evidence:

- Mapping of natural vegetation;
- Planning of the restoration of buffer zones;
- Mapping of areas with potential for connectivity;
- Rural properties registered;
- Evaluation, Monitoring and/or Result reports.

b) Content for verification:

- Successional stage overtime;
- Distance of the protected areas from the buffer zone;
- Legal requirements applicable.

Conserve natural areas beyond the legal requirements:

a) Evidence:

- Mapping;
- Measuring of the additional area extending beyond the limits required by law.

b) Content for Verification:

- Size of the area;
- Updated official data;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 47 of 59

- Successional stage of the additional area under conservation;
- Species and type of intervention used, in the case of restoration;
- Rates of development and survival of saplings, in the case of restoration;
- Minimum limits established by the applicable legislation.

Implementation of green corridors and/or mosaics:

a) Evidence:

- Diagnosis of the area;
- Evaluation of the corridor in the field;
- Maps/satellite images;
- Monitoring and progress reports.

b) Content for verification:

- Connection area restored (ha);
- Indicator species, defined and monitored;
- Maintenance of the connectivity restored;
- Presence of flow of target species and/or analysis of gene flow;
- Exclusive use of native species of that ecosystem in the restoration;
- Rates of fragmentation through analysis of the countryside, comparing the scenarios of the countryside over the historical record available at frequent intervals.

Records	Actions
G1.I2	Implement actions operationalizing the area for biodiversity conservation
G2.I2	

Operationalize the protected area:

a) Evidence of action:

- Appropriate infrastructure: office, accommodation, equipment, communication, vehicles;
- Access: access routes, trails, in a good state of conservation;
- Records of contracting staff in sufficient numbers;
- Records of training staff;
- Management System implemented;
- Reports of activities and results;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 48 of 59

- Reports produced by the manager of the protected area;
- Records of contact and communication with the surrounding area;
- Records of visiting;
- Interviews with the surrounding population.

b) Content for verification:

- Implementation of routines: training, protection/inspection plan, planning of research/monitoring, rules for public use, budget planning;
- Management System: strategic planning, information management, periodical evaluation of the system;
- Minutes and reports of meetings with the community;
- Social integration: relationship with the surrounding area, mobilization capacity, generation of income, visiting data.

Inspection:

a) Evidence of action:

- Routine of inspection/patrolling in operation;
- Records of contracting and training of personnel;
- Minimum equipment for inspection: vehicles, cameras, Personal Protective Equipment, portable communication devices etc.;
- Record of occurrences detected during the inspection;
- Physical evidence verified in loco;
- Reports of activities and results;
- Financial report: evaluate whether resources received for the inspection were used effectively in the inspection and control of the area.

b) Content for verification:

- Trained staff in sufficient numbers for adequate inspection;
- Routine of inspection: definition of strategic routes, points and areas for inspection, frequency of the rounds, as well as the efficient communication with public inspection and security bodies;
- Results indicators stipulated in the management plan;
- Sufficient frequency and territorial coverage of the inspection actions;
- Compatibility between the infrastructure and equipment available and the size of the area to be inspected;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 49 of 59

- Integration of the inspection actions with actions of other bodies (e.g.: Federal Police, Army, etc.).

Fire prevention and combat programs:

a) Evidence of action:

- Records of volunteer firemen active;
- Records of firemen contracted and trained.

b) Content for verification:

- Number of man-made and non-man-made fires recorded;
- Reports of activities and results;
- Appropriate infrastructure for the prevention, control and combating of fires, in accordance with the size of the area;
- State of conservation of the relevant infrastructure.

Environmental sanitation:

a) Evidence of action:

- Basic sanitation infrastructure in the protected area;
- Routine of appropriate destination of solid waste;
- System of control and environmental sanitation in the Buffer Zone (BZ) implemented;
- Program of standardization of the productive activities existent in the BZ, in the ambit of environmental sanitation.

b) Content for verification:

- Results indicators stipulated in the management plan;
- Efficacy of the waste and effluent destination system within the protected area;
- Quality of the sanitation, measured through bio-indicators (e.g.: bivalves; micro-crustaceans; etc.);
- Frequency and results of analyses with bio-indicators;
- Information on pollution, polluting agents, political actions for industries and agricultural enterprises, among others, in the BZ.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 50 of 59

Records	Actions
G4.I1	Implement/support strategic projects and/or public policies which contribute to the conservation and/or sustainable use of biodiversity.

a) Evidence of action:

- Legal approval of the instrument (political; economic or similar);
- Records or reports which substantiate the participation in meetings and discussion events for the elaborating of the norms to be applicable;
- Project containing the proposal of the political or economic instrument, or similar;
- Reports of activities and results;
- Reports of transfer of resources;
- Routine of payments instituted (e.g.: Payment for Environmental/ Ecosystem Services);
- Contracts and invoices;
- Official opinions regarding the eligibility of the areas considered in the projects;
- Technical and scientific articles and publications;
- Independent evaluations and audits;
- Reports from specialized consultancies.

b) Content for verification (in accordance with the project). Examples:

- Validity and time period of the project;
- Frequency of monitoring and critical analysis of the project;
- Expected results for biodiversity;
- Results achieved for biodiversity.

Records	Actions
G4.I2	Implement/support communication and/or social mobilization campaigns which contribute to conservation and/or sustainable use of biodiversity.

a) Evidence of action:

- Contracts and work plans with communication companies;
- Books, leaflets, videos and other publicity materials produced;
- Reports on the distribution of the materials;
- Reports on the receiving and/or visualization of the media disseminated;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 51 of 59

- Reports on the mobilization meetings held;
- List of participants in lectures, meetings and/or mobilization events (network of actors consolidated);
- Advisory Council formed and active.

b) Content for verification:

- Objectives and goals of the campaign;
- Emphasis on conservation in the media produced;
- Method defined and applied for evaluating whether the information passed on was assimilated;
- Public reached (quantity of material provenly distributed);
- Results expected and achieved;
- Program content;
- Reduction/elimination of the history of conflicts with the protected area's surrounding area;
- Reduction/elimination of occurrences of invasions in the protected area;
- Engagement of community leaders;
- Evaluation of the program elaborated.

Records	Actions
G4.I3	Establish/maintain partnerships, agreements and/or similar with research institutions, governmental bodies, and/or NGOs, which contribute to the conservation and/or sustainable use of biodiversity.

a) Evidence of action:

- Contract signed between the parties (e.g.: National/Regional Centers for Conservation and Management of Wildlife; NGOs; Research Center; Universities; etc.);
- Records of financial support;
- Reports of the activities undertaken in the ambit of the partnership.

b) Content for verification:

- Duration of the agreement sufficient to achieve the expected results;
- Transfer and appropriate application of the financial resources;
- Financial audit reports;
- Mission, objectives or history of the functioning of the partner-institution related to biodiversity conservation;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 52 of 59

- Objectives of the agreement compatible with the results obtained.

Records	Actions
G4.I4	Implement/support and/or make available information for databases or technical and/or scientific collections referent to conservation and/or the sustainable use of biodiversity.

a) Evidence of action:

- Spreadsheets containing systematized information on biodiversity;
- Production of software with information related to biodiversity;
- Contracts for exchanging information between institutions;
- Information available on the Internet;
- History of data publicized;
- Reports of results of the systems made available by the maintainers;
- Agreement signed for the maintenance of the holdings of technical and scientific collections of biological materials;
- Technical and scientific holdings and collections of material maintained in an appropriate state for conservation, with the possibility of use, and available for consultation;
- Data on the monitoring of biodiversity and indicators of environmental impacts, organized in databases (GIS, ACCESS, Excel, or similar);
- Scientific publications, technical guides, and other publications resulting from monitoring data.

b) Content for verification:

- Extent of publicity
- Free character of the information;
- Technical and/or scientific quality of the information made available;
- User interface;
- Updating of the database;
- Number of accesses to the system;
- Number of feedings of the system;
- Percentage of institutions/actors covered by the systems;
- Reports elaborated by the curators of the collections.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 53 of 59

Records	Actions
G4.I5	Undertake/support actions of mapping, elaboration and updating of cartographic bases, and the recording of areas destined for conservation and/or sustainable use of biodiversity.

a) Evidence of action:

- Fences and fire breaks implemented in accordance with measurements and documentation;
- Number of signs and/or boundary marks on the perimeter demarcated;
- Recording of the area with the responsible Governmental Bodies;
- Use of software for spatial planning of the area/countryside, with a view to conciliating the conservation objectives;
- Maps, GIS base map and associated database;
- Reports of activities and results;
- Technical reports;
- Zoning for the spatial planning and use of the area, as well as for possible green corridors and mosaics, adopting benchmarks from the areas of Conservation Biology and Landscape Ecology.

b) Content for verification:

- Quality of the demarcation;
- Consistency between the layout plans, map, project description and legal records;
- Boundary markers and signs on all the corners;
- At least one sign in each segment of the division between two corners;
- State of conservation and functionality of the demarcatory elements;
- Identification of key points for the creation of green corridors and mosaics;
- Identification of areas at risk of invasion by domestic animals (cows, horses, goats, sheep) or at higher risk of invasion by humans (invasion for hunting, fishing and extraction);
- Provision for fire breaks on the borders where there is a risk of fire.

Records	Actions
G4.I6	Implement/support conservation programs <i>ex situ</i> .

a) Evidence of action:

- Conservation chambers for genetic material;
- Structure for in vitro cultivation or cryogenics;
- Cultivation in laboratories;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 54 of 59

- Greenhouses and/or nurseries;
- Nuclei of conservation of animal species;
- Germoplasm banks of vegetable species;
- Reports.

b) Content for verification:

- Relevance of the action to the species under conservation;
- Consistency between the rationale, objectives and methods.

Records	Actions
G4.17	Implement/support programs/projects of education for conservation and/or the sustainable use of biodiversity.

a) Evidence of action:

- Records of activities undertaken;
- Support material for the activities (booklets; multimedia material);
- Participation lists;
- Evaluations applied;
- Technical reports.

b) Content for verification¹¹:

- Initial diagnosis;
- Focus on the educational strategy;
- Repercussions of the Program;
- Participative processes;
- Critical analysis.

¹¹ Adapted from: SILVA, L.B. 2009.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 55 of 59

	Content for verification
Initial diagnosis	Proposal of the program for Environmental Education starts with an environmental and social diagnosis in which the group is inserted.
Strategy focus	Multidisciplinary; inter/transdisciplinary.
Repercussions of the program	Has repercussions for the group, the family members, and the community.
Participative processes	The project encourages the participation of the target groups in discussions and seeking joint solutions for meeting the project's objective.
Critical analysis	Stipulates a continued methodology of evaluation which must monitor changes of awareness, behavior, development of skills and participation.

Critical Analysis - Parameter	Evidence
Awareness	The group developed a critical perspective regarding the issue of biodiversity: it recognizes the local problems and relates them to global problems, and perceives the relationship between man and nature conservation.
Knowledge	Concepts acquired after experiencing the processes of environmental education for biodiversity conservation: improvement in the formulating of concepts relating to the issue of biodiversity.
Behavior	Changes in values/construction of new ethics or value for biodiversity conservation, observed during and after the Environmental Education program (project).
Skill	Development of the potential to resolve conflicts in place related to biodiversity conservation.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 56 of 59

Records	Actions
G4.I8	Undertake/support studies and/or research contributing to conservation, sustainable use and/or mitigation of impacts on native biodiversity.

a) Evidence of action:

- Research projects and/or monitoring programs;
- Mapping of the areas studied;
- Monitoring and research protocols;
- Reports on research and/or monitoring;
- Reports from the community involved in the projects and programs;
- Authorizations for collection and research from the responsible environmental body;
- Database;
- Publications.

b) Content for verification:

- Rationale;
- Consistency and sufficiency of the indicators of the research projects, for evaluating the results expected;
- Sufficiency of duration or continuity of the projects, in accordance with the objectives expected;
- Relevance of the species selected as indicators and/or biotic communities evaluated.

Records	Actions
G4.I9	Implement/support alternative production systems which minimize the impacts on biodiversity, in comparison with traditional production systems.

a) Evidence of action:

- Evaluation of the system in the field;
- Reports;
- Photographic records.

b) Content for verification:

- Rationale for the production system adopted, and its relationship with biodiversity;
- Management adopted;

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 57 of 59

- Reduction of the pressure on biodiversity;
- Percentage of reduction in the use of the natural resource;
- Species used;
- Reduction in the use of herbicides and pesticides;
- Use of native seeds (on-farm conservation);
- Increasing diversity in the system of production at the genetic, species, and countryside levels.

6. GLOSSARY

The terms used in this document are available in the LIFE Glossary.

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 58 of 59

7. REFERENCES

BIRDLIFE INTERNATIONAL. **World Database of Key Biodiversity Areas**. 2022 Available at: <<https://www.keybiodiversityareas.org/>>. Accessed on: 04 August 2022.

CONSERVATION INTERNATIONAL. **Biodiversity Hotspots Revisited**. 2011. Available at: <<https://www.arcgis.com/home/item.html?id=e5a7d024c4674cc185f78a99071feb07>> Accessed: 02 August 2022.

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA (CITES). **Appendices I, II and III**. 2022. Available at: <<https://cites.org/eng/app/appendices.php>>. Accessed: 03 August 2022.

EUROPARC-España. 2017. **Old-growth forests: characteristics and conservation value**. Ed. Fundación Fernando González Bernaldez, Madrid. Available at: <<https://redbosques.eu/wp-content/uploads/2022/01/OLD-GOWTH-FORESTS-synthesis-V7-1.pdf>>. Accessed: 03 August 2022.

EUROPEAN ENVIRONMENT AGENCY. **Distribution of habitats**. 2019, vector polygon. Available at: <<https://www.eea.europa.eu/data-and-maps/data/article-17-database-habitats-directive-92-43-ec/distribution-of-species-zipped-shapefile-vector-polygon/distribution-of-habitats-zipped-shapefile-vector-polygon>> Accessed: 03 August 2022.

EUROPEAN ENVIRONMENT AGENCY. **Natura 2000 Network Viewer**. 2019 – Shapefile. Available at: <<https://www.eea.europa.eu/data-and-maps/data/natura-11/natura-2000-spatial-data/natura-2000-shapefile-1>> Accessed: 03 August 2022.

INTERNATIONAL UNION FOR CONSERVATION OF NATURE (IUCN). **The IUCN Red List of Threatened Species**. Version 2022-1. Available at: <<http://www.iucnredlist.org/>>. Accessed: 03 August 2022.

LIFE INSTITUTE. Website. Curitiba, 2022. Available at: <<https://institutolife.org/>>. Accessed: 03 August 2022.

EUROPEAN COMMISSION. **List of Invasive Alien Species of Union concern**. Regulation (EU) No 1143/2014. Available at: <https://ec.europa.eu/environment/nature/invasivealien/list/index_en.htm>. Accessed: 03 August 2022.

SILVA, L. B. **Proposta de um modelo de avaliação multidimensional para programas de educação ambiental em áreas naturais protegidas**. 2009. Available at: <http://dspace.c3sl.ufpr.br/dspace/bitstream/handle/1884/21170/Dissertacao_LizBuckSilva%20.pdf?sequence=1>. Accessed: 03 August 2022.

THE IUCN Red List of Threatened Species, Protected Area and Key Biodiversity Area data downloaded

	LIFE-BB-EU-TG02-1.0-English	Review: 08/25/2022
	Applicability: Europe	Version: 1.0
	LIFE TECHNICAL GUIDE – 02 Evaluation of Biodiversity Positive Performance	Page 59 of 59

from the **Integrated Biodiversity Assessment Tool (IBAT)**. Provided by BirdLife International, Conservation International, IUCN and UNEP-WCMC. Please contact ibat@ibat-alliance.org for further information. Available at: <<http://www.ibat-alliance.org>>. Accessed: 03 August 2022.

WORLD HERITAGE CONVENTION (WHC). UNESCO. **World Heritage List**. Available at: <<https://whc.unesco.org/en/list/>>. Accessed: 03 August 2022.

WORLD WILDE FUND FOR NATURE (WWF). **Terrestrial ecoregions of the world (TEOW): A new map of life on Earth**. 2001. Available at: <<https://www.worldwildlife.org/publications/terrestrial-ecoregions-of-the-world>>. Access on: 03 August 2022.